



## **OAK SANSSOUCI**

The smoked stone hues on this single-strip oak floor from the Royal Collection, enhance the earth undertones and balance the natural contrasts in the wood. Each board is carefully brushed to bring out the character of the grain and highlight the natural texture of the wood. Four-sided bevelling at the edges ensures a classic, full plank look and feel.

PRODUCT DETAILS		FACTS		TECHNICAL PROPERTIES		
Article Number	181XDDEK26KW240	Wood Species	Oak	Moisture	EN13183	7%±2%
EAN Code	7393969047081	Board	1-strip	content		
Surface treatment	Oil This floor should be oiled immediately after installation.	Grading	Dynamic	Minimun Mean Density kg/m³ >500 kg/m³		
		Range	Kährs Supreme	Reaction To Fire	EN13501-1	Cfl-s1
		Collection	Royal Collection	Formaldehyde	EN717-1	E1
Design features	Microbevelled 4-sided,	Resandable	2-4 times	Emission		
	Brushed, Smoked	Natural/Stained	Natural	Content PCP	CEN/TR14823	≤ 5 x 10-6n
Dimensions	2400 x 305 x 18 mm	Brinell Value	3,7	Breaking	EN1533	NPD
Weight per Package (kg)	30 kg	loint	Tongue & Groove	Strength N/mm²		
Area per Package (m²)	2.9 m <sup>2</sup>	Floor heating	Yes			
Area per pallet (m²)	79.1 m <sup>2</sup>	rioor neating	res	Thermal Conductivity	EN12664	0,09 W/mK
Package info	Packages may contain start and stop boards.	Warranty	30 years		Conductivity	
		Wear-layer material	Hardwood	Thermal Resistance R-Value		.194 (m2K/W)
		Wear-layer thickness	3.5 mm	Biological  Durability	EN350-2	Class 1
DETAIL DESCRIPTION		Core material	Pine/Spruce lamella	CARB2		Compliant
•All naturally occuring wood colour variations allowed, from light to dark brown. Sapwood may occur. The smoked design is likely to enhance the		Thickness	18 mm	CANDZ		Compliant
		Installation method	Glue-down			

occur. The smoked design is likely to enhance the naturally occuring wood color variations and create further contrast between light and dark. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers. •The product may continue to develop their rustic nature after the floor has been installed, splits and cracks that occur after installation are normal and should be considered part of the timbers natural character. •The product can be used in connection with floor heating, however the Thermal Resistance (m2K/W) value is above the limit to be classified as suitable for floor heating. This means that the effect of the floor heating will be less but not harmful for the floor itself.

AB GUSTAF KÄHR | www.kahrs.com | © Kährs 2022

## **CERTIFICATES**











## **Descriptions & Imagery**

All samples, images and product description, plus photo and brochure specifications are there for the sole purpose of giving an approximate idea of the items described in them. They shall not form part of the contract or have any contractual force and should be viewed for illustrative purposes only. We cannot guarantee that your computer's display or the quality of the print will accurately reflect the colour of the products. Your product may vary slightly from the images within this literature.